

Amarr Residential Garage Doors

www.amarr.com



Openings in Steel. Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in eight steel collections.

From classic carriage house designs to contemporary flush panels,

get a striking look that stands the test of time.

- 2 AMARR CLASSICA®
- 4 OPTIONS
- 6 AMARR OAK SUMMIT®
- 8 AMARR HILLCREST
- 10 AMARR DESIGNER'S CHOICE
- 12 AMARR HERITAGE™
- **14** AMARR STRATFORD®
- 16 AMARR LINCOLN
- 18 AMARR OLYMPUS
- 20 OPTIONS
- **21) STEEL SPECIFICATIONS**

Openings in Steel.

The Construction.

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double or 3000 triple-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

1000

Single-Layer: Steel

Amarr Classica®, Oak Summit®, Heritage™ & Stratford®

Get value and durability with an Amarr 1000 single-layer steel door. These heavy-duty steel doors are durable, reliable, and low maintenance.

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance







2000

Double-Layer: Steel + Insulation

Amarr Classica, Oak Summit, Heritage & Stratford

An Amarr 2000 double-layer door provides durable, low maintenance features, plus a layer of vinylcoated insulation for increased thermal properties and quieter operation.

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation





6.64

3000

Triple-Layer: Steel + Insulation + Steel


Amarr Classica, Oak Summit, Heritage, Stratford, Hillcrest, Lincoln, Designer's Choice & Olympus

For the toughest, most energy-efficient steel door, an Amarr 3000 triple-layer door includes the ultimate in thermal properties, plus a layer of steel for a finished interior look and added durability.

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation
- * For True White Bead Board only.

 ** For all panels and colors except True White Bead Board.
- † For True White Short Panel only. ‡ For all panels and colors except True White Short Panel.



















Northampton design with Madeira windows in Walnut with Canterbury handles and hinges





AMARR CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel.

The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 21 for complete specifications.

1000

Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Santiago with Seine Windows (S8)

Decorative Options



Optional decorative hardware, reminiscent of

authentic hardware found on original carriage

See pp. 4–5 for all window and hardware options.

houses, adds character to your door.





R-VALUE 13.35°

* For Amarr Classica 3000 only.

Cortona with Americana Windows (C57)



Tuscany with Closed Arch (T1)



Bordeaux with Closed Square (B2)



DESIGNS















*Long Panel Arched Top not available.

OPTIONS

AMARR CLASSICA® TOP SECTIONS























Design visibility varies due to lighting.

 ${\small \verb|Tempered||} {\small \verb|Tempered||} {\small \verb|constraints||} {\small \verb|total constraints||} {\small \verb|constraints||} {\small constraints||} {\small \verb|constraints||} {\small constraints||} {\small \verb|constraints||} {\small \verb|constraints||} {\small \verb|constraints||} {\small \verb|constraints||} {\small constraints||} {\small \verb|constraints||} {\small constraints||} {\small constraints||$















‡ Designs also available with obscure glass.





DECORATIVE HARDWARE & LOCK









Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



AMARR OAK SUMMIT®



Self-Expression shouldn't cost a fortune. With the Amarr Oak Summit collection it won't.

These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents.

Customize your home with our most affordable carriage house door.



[†] Color only available in Amarr Oak Summit 3000.

The Amarr Oak Summit collection is available in four carriage house designs with your choice of eleven colors.

See page 21 for complete specifications.

Raised with Jardin DecraGlass (RS75)

1000

Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Give your door a unique carriage house look with a variety of decorative hardware options.

See page 5 for all decorative hardware options, page 20 for window options.

Raised with Stockton DecraTrim (RS20)



Long Bead Board with Sunray DecraTrim (LPBB27)






Recessed with Arched Thames DecraTrim (RE31)†



DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.















HUNTER GREEN†











MAHOGANY†*

 † Color only available in Amarr Oak Summit 3000.

 $^{^{}st}$ Price upcharge applies.



AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get the efficiency and durability of 2-inch thick, triple-layer construction and a competitive price.

The Amarr Hillcrest collection. Value is a beautiful thing.



The Amarr Hillcrest collection is available in four carriage house designs with your choice of four color options.

See page 21 for complete specifications.

3000

Triple-Layer: Steel + Insulation + Steel

R-VALUE 9.05

Decorative Options

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 20 for all window options. For decorative hardware, see page 5.

Long Bead Board with Closed Square (LPBB)



Recessed with Stockton Decratrim (RE20)



Bead Board with Cascade DecraTrim (BB23)




Recessed with Mission DecraGlass (RE71)




DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.









TRUE WHITE

AMARR HILLCREST STEEL

Bead Board design with Stockton DecraTrim in True White with Blue Ridge handles and hinges



AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Designer's Choice model is available in four carriage house designs and six color options.

See page 21 for complete specifications.

Bead Board with Cascade DecraTrim (BB23)

3000

Triple-Layer: Steel + Insulation + Steel



* For True White Bead Board only. 13.35 R-value for all other panels and colors.

Decorative Options

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 20 for all window options. For decorative hardware, see page 5.

Long Bead Board with Stockton DecraTrim (LPBB20)









Bead Board with Victorian DecraGlass (BB54)







DESIGNS









COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.













* Price upcharge applies



AMARR HERITAGE™



Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles.

Great looks for years to come.



Flush Panel (FP)‡

The Amarr Heritage collection is available in a variety of panel designs and colors.

See page 21 for complete specifications.

1000

Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options

Choose from contemporary or craftsmen ${\tt DecraGlass\ windows\ or\ DecraTrim\ window}$ inserts to coordinate with your home.

See page 20 for all window options, page 5 for decorative lock option.






Short Panel with Americana DecraGlass (SP57) †



Short Panel with Stockton DecraTrim (SP20)



Ribbed Panel (RP)‡



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used















 $^{^\}dagger$ Color only available in Amarr Heritage 3000. Price upcharge applies.

Short Panel design in Golden Oak†



AMARR STRATFORD®



Time-honored style. The Amarr Stratford collection offers four traditional designs,

11 color choices, and 21 decorative window options. This durable and low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries.

The Amarr Stratford collection. A statement of style.



[†]Color only available in Amarr Stratford 3000.

The Amarr Stratford collection is available in a variety of panel designs and 11 colors.

See page 21 for complete specifications.

1000

Single-Layer: Steel

2000

Double-Layer: Steel + Insulation

3000

Triple-Layer: Steel + Insulation + Steel

Decorative Options


Choose from contemporary or craftsmen DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See page 20 for all window options, page 5 for decorative lock option.

Long Panel with Heartland DecraGlass (SP70)†



DESIGNS



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.























WALNUT †*



MAHOGANY†*

 $^{^\}dagger$ Color only available in Amarr Stratford 3000.

^{*} Price upcharge applies.

Long Panel design with Stockton DecraTrim in True White



AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the efficiency and durability of 2-inch thick, triple-layer construction.

Along with 24 decorative window choices, this affordable collection delivers premium style at a competitive price.

The Amarr Lincoln collection. A new tradition of style and value.



The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs. Four colors are available.

See page 21 for complete specifications.

3000

Triple-Layer: Steel + Insulation + Steel

9.05


Decorative Options

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See page 20 for all window options.



DESIGNS



COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.













AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Olympus model is available in Short Panel and Long Panel designs and six color options.

See page 21 for complete specifications.

Short Panel with Prairie DecraTrim (SP21)

3000

Triple-Layer: Steel + Insulation + Steel

R-VALUE 19.40°

* For True White Short Panel only. 13.35 R-value for all other panels and colors.

Decorative Options

Choose from DecraTrim inserts or DecraGlass windows to best coordinate with your home.

See page 20 for all window options.







Short Panel with Sunray DecraTrim (SP27)



Short Panel with Riviera DecraGlass (SP55)







DESIGNS





COLORS Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors, exterior latex paint must be used.

ALMOND

WICKER TAN








TRUE WHITE

OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.





HUNTER GREEN

GRAY

BLACK*

GOLDEN OAK*

WALNUT*

DARK BROWN

MAHOGANY*

*Price upcharge applies.

ALMOND

WICKER TAN

SANDTONE

TERRATONE

TRUE WHITE

STEEL SPECIFICATIONS

ENTRE/MATIC CLASS 10000 PANEL DESIGNS (Safe Guard) /	SICA CLASS		1	1	CARRIAGE HOUSE DESIGN								TRADITIONAL DESIGN							
	0 2000	CA CLASSICA 3000	OAK SUMMIT 1000	OAK SUMMIT 2000	OAK SUMMIT 3000	HILLCREST 3000	DESIGNER'S CHOICE 500	HERITAGE 1000	HERITAGE 2000	HERITAGE 3000	STRATFORD 1000	STRATFORD 2000	STRATFORD 3000	LINCOLN 3000	OLYMPUS 500					
	1	1	1	1	1			1	1	1	1	1	1							
Short								•	•	•	•	•	•	•	•					
Long								•	•	•	•	•	•	•	•					
Flush													•	•						
Ribbed										•			•	•						
Carriage House 7 Desig	igns 7 Desig	ns 7 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs													
CONSTRUCTION LAYERS 1	2	3	1	2	3	3	3	1	2	3	1	2	3	3	3					
Steel •																				
Steel + Insulation				•					•			•								
Steel + Insulation + Steel																				
DOOR THICKNESS 2" (5.1c	cm) 2" (5.1c	n) 2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)	2" (5.1cm)					
INSULATION	Polystyre			Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane					
R-VALUE ²	6.64	13.35		6.64	6.48	9.05	19.40 ^{A*} /13.35**		6.64	9.05		6.64	6.48	9.05	19.40 ^{A†} /13.35 [‡]					
STEEL THICKNESS																				
Gauge (ga) 24 ga	ga 24 ga	25/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga					
Gauge (mm) 0.61m			0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm					
WOODGRAIN EXTERIOR TEXTURE •		•	•	•	•	•	•	•	•	•	•	•	•	•	•					
END STILES										-	-									
Galvanized •																				
Painted																				
THERMAL SEAL		•			•		•*	•	•	•			•	-	•†					
BOTTOM WEATHER SEAL •			_		•		•	•	•		•	•		•						
					•		•**			•			•	•						
Steet Hetalifer		•	'	•			•	•	•		•	•								
Aluminum Retainer					•		••			•			•	_	•†					
Extruded Vinyl						•								•	•					
DECORATIVE WINDOW OPTIONS •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
WINDOW GLASS OPTIONS																				
3/32" (0.24cm) Single Strength			•	•	•	•	•	•	•	•	•	•	•	•						
1/8" (0.32cm) Tempered Double Strength	•	•																		
Insulated Glass		•			•	•	•			•			•	•	•					
Obscure •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
DECORATIVE HARDWARE OPTIONS •	•	•		•	•	•	•													
EXTERIOR COLOR OPTIONS																				
True White	•	•		•	•	٠	٠	٠	•	•	•	•	•	•	•					
Almond	•	•	•	•	•		•	•	•	•	•	•	•		•					
Wicker Tan •	•	•		•	•	٠	٠				•	•	•	•	•					
Sandtone •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
Terratone •	•	•		•	•						•	•	•							
Dark Brown •	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
Hunter Green					•								•							
Gray					•								•							
Black							•													
Golden Oak ³	•	•			•					•			•							
Walnut ³	•	•			•					•			•							
Mahogany ³ •	•	•			•					•			•							
WIND LOAD ⁴ AVAILABLE •	•	•	•	•	•	•	•*	•	•	•	•	•	•	•	•†					
WARRANTY																				
Paint Finish ⁵ Lifetin	me Lifetin	e Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime					
Workmanship/Hardware ⁵ 3 Year	ars 5 Year	Lifetime	1 Year	2 Years	3 Years	3 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	3 Years	Lifetime					



¹ Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.

- 2 Calculated door section R-value is in accordance with DASMA TDS-163.

 A Based on independent laboratory test results.

 * True White Bead Board only.

 ** All panels and colors except True White Bead Board

 † True White Short Panel only.

 \$\$\text{All panels and colors except True White Short Panel}\$\$

 Optional door locks available Various door heights and width Various door heights and Various door heig

⁴ It is your responsibility to make sure your garage door meets local building codes. ⁵ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

Optional door locks available
Various door heights and widths available



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling sheet, and rolling steel doors.

Your Local Amarr Dealer:

Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.D00R

www.amarr.com

Amarr, Classica, Stratford, and Oak Summit as words and logos are registered trademarks belonging to Entrematic Group AB or other companies controlled by the same organization. All rights reserved.

Entrematic reserves the right to change specifications and designs without notice and without incurring obligations.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2014. All rights reserved. Printed in USA Form #6451114/60M/GVS







